

Facility Summary in FERGUS County in the City of DENTON

Location: CENTRAL MONTANA COOP DENTON
609 BROADWAY AVE
DENTON, MT 59430 FERGUS

Sys Fac ID: 14-01360

Last Inspected On: 6/2/2014

Operating Permit Renewal Date: 8/27/2017

Contact: Bill Spainhower, (406) 567-2273

Owners/Operators: Central Montana Coop Denton, Owner

(406)-567-2273

PO BOX 955
DENTON MT 59430-0955

Harold Clark, UST Class A Operator

Donald Weinheimer, UST Class A Operator

Harold Clark, UST Class B Operator

Donald Weinheimer, UST Class B Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
2	26	1/19/1990	Steel Clad	Fiberglass Reinforced Plastic	High Level Alarm
903			None	None	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Not Applicable
Gasoline			Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	
2,000		9/12/2013	TLS-250 , Veeder Root		
3	26	1/19/1990	Steel Clad	Fiberglass Reinforced Plastic	High Level Alarm
904			None	None	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Not Applicable
Gasoline			Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	
2,000		9/12/2013	TLS-250 , Veeder Root		
4	26	1/19/1990	Steel Clad	Fiberglass Reinforced Plastic	High Level Alarm
905			None	None	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Not Applicable
Gasoline			Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	
2,000		9/12/2013	TLS-250 , Veeder Root		

Facility Summary in FERGUS County in the City of DENTON

Location: WOODHALL DISTRIBUTING
603 BROADWAY AVE
DENTON, MT 59430 FERGUS

Sys Fac ID: 14-06219

Last Inspected On: 6/2/2014

Operating Permit Renewal Date: 8/22/2017

Contact: Steve Woodhall, (406) 567-2266

Owners/Operators: Woodhall Distributing - Denton, Owner

(406)-567-2266

PO BOX 1018

DENTON MT 59430-1018

Greg Econom, UST Class A Operator

Greg Econom, UST Class B Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
10	18	7/1/1997	Steel Clad	Flexible Plastic	Flapper Valve (Auto Shutoff)
4253			Double-Walled	Double-Walled	Yes
Currently in Use			Not Required	Safe Suction	Galvanic
Gasoline		4/19/2011	Manual Interstitial Monitor	Deferred	
2,000					
11	18	7/1/1997	Steel Clad	Flexible Plastic	Flapper Valve (Auto Shutoff)
4254			Double-Walled	Double-Walled	Yes
Currently in Use			Not Required	Safe Suction	Galvanic
Gasoline		4/19/2011	Manual Interstitial Monitor	Deferred	
2,000					
12	18	7/1/1997	Steel Clad	Flexible Plastic	Flapper Valve (Auto Shutoff)
4255			Double-Walled	Double-Walled	Yes
Currently in Use			Not Required	Safe Suction	Galvanic
Diesel		4/19/2011	Manual Interstitial Monitor	Deferred	
2,000					

Facility Summary in FERGUS County in the City of DENTON

Location: MALMSTROM AFB D 1
BEAR SPRINGS ROAD
DENTON, MT 59430 FERGUS

Sys Fac ID: 14-09008

Last Inspected On: 2/22/2016

Operating Permit Renewal Date:

Contact: Lana Hedlund, (406) 731-6175

Owners/Operators: 341 CES CEANQ, Owner

(406)-731-6188

39 78TH ST N
MALMSTROM AFB MT 59402-7536

Lana Hedlund, UST Class A Operator
James Hodges, UST Class A Operator
Chris Amann, UST Class B Operator
Ricardo Andrillon, UST Class B Operator
Glen Beck, UST Class B Operator
Allen Brooks, UST Class B Operator
Jonathan Buesch, UST Class B Operator
John Corbett, UST Class B Operator
David Cosner, UST Class B Operator
Ryan Cox, UST Class B Operator
Brian Day, UST Class B Operator
David Degolier, UST Class B Operator
Hudson English, UST Class B Operator
Dustin Hemingway, UST Class B Operator
Aaron Hill, UST Class B Operator
William Hoffmeister, UST Class B Operator
Shane Hofstad, UST Class B Operator
Bethany Kent, UST Class B Operator
James Knudsen, UST Class B Operator
Ryan Kofoed, UST Class B Operator
Jeff Laird, UST Class B Operator
Damon McCarty, UST Class B Operator
Kieth Mcllwain, UST Class B Operator
Brian McVay, UST Class B Operator
Ronald Miller, UST Class B Operator
Michael Murieen, UST Class B Operator
Jeff Nelson, UST Class B Operator
Shawn O'Grady, UST Class B Operator
John Oldham, UST Class B Operator
Chris Ploof, UST Class B Operator
Issac Price, UST Class B Operator
Brian Rayner, UST Class B Operator

Facility Summary in FERGUS County in the City of DENTON

Location: MALMSTROM AFB D 1
BEAR SPRINGS ROAD
DENTON, MT 59430 FERGUS

Sys Fac ID: 14-09008

Last Inspected On: 2/22/2016

Operating Permit Renewal Date:

Contact: Lana Hedlund, (406) 731-6175

Adam Reathafor, UST Class B Operator
Cameron Smith, UST Class B Operator
Jimmy Sonefelt, UST Class B Operator
Michael Stokes, UST Class B Operator
Kyle Topp, UST Class B Operator
Jason Vike, UST Class B Operator
James Wooderchak, UST Class B Operator
Paul Ziemba, UST Class B Operator
Lana Hedlund, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
5	00	9/7/2015	Steel Clad	Flexible Plastic	Positive Shutoff, High Level Alarm
5591		8/21/2015	Double-Walled	Double-Walled	Yes
Currently in Use			Auto Dialer	U.S. Suction	Impressed Current
Diesel			Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	Continuous Interstitial Monitor	
12,000			TLS-350/Gilbarco EMC , Veeder Root	Not Listed	Yes

Facility Summary in FERGUS County in the City of DENTON

Location: MALMSTROM AFB D 2
MT HIGHWAY 81
DENTON, MT 59430 FERGUS

Sys Fac ID: 14-09009
Last Inspected On: 9/24/2014
Operating Permit Renewal Date: 10/7/2017

Contact: Jim Hodges,

Owners/Operators: 341 CES CEANQ, Owner (406)-731-6188 39 78TH ST N
MALMSTROM AFB MT 59402-7536

Lana Hedlund, UST Class A Operator
James Hodges, UST Class A Operator
Lana Hedlund, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
2	23	8/1/1992	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff), High Level Alarm
166		4/14/2015	Double-Walled	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	U.S. Suction	Not Applicable
Diesel			Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	Continuous Interstitial Monitor	
4,000			TLS-350/Gilbarco EMC , Veeder Root		

Facility Summary in FERGUS County in the City of DENTON

Location: MALMSTROM AFB D 03
MT HIGHWAY 81
DENTON, MT 59430 FERGUS

Sys Fac ID: 14-09010

Last Inspected On: 10/29/2014

Operating Permit Renewal Date: 9/15/2017

Contact: Jim Hodges,

Owners/Operators: 341 CES CEANQ, Owner (406)-731-6188 39 78TH ST N
MALMSTROM AFB MT 59402-7536

Lana Hedlund, UST Class A Operator

James Hodges, UST Class A Operator

Lana Hedlund, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
1	26	6/21/1989	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff), High Level Alarm
167		4/22/2013	Double-Walled	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	U.S. Suction	Not Applicable
Diesel			Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	Continuous Interstitial Monitor	
4,000			TLS-350/Gilbarco EMC , Veeder Root		

Facility Summary in FERGUS County in the City of DENTON

Location: MALMSTROM AFB D 5
MT HIGHWAY 81
DENTON, MT 59430 FERGUS

Sys Fac ID: 14-09012

Last Inspected On: 10/30/2014

Operating Permit Renewal Date: 9/15/2017

Contact: Jim Hodges,

Owners/Operators: 341 CES CEANQ, Owner (406)-731-6188 39 78TH ST N
MALMSTROM AFB MT 59402-7536

Lana Hedlund, UST Class A Operator

James Hodges, UST Class A Operator

Lana Hedlund, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
1	23	8/1/1992	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff), High Level Alarm
168		5/6/2015	Double-Walled	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	U.S. Suction	Not Applicable
Diesel			Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	Continuous Interstitial Monitor	
4,000			TLS-350/Gilbarco EMC , Veeder Root		

Facility Summary in FERGUS County in the City of DENTON

Location: MALMSTROM AFB D 6
MT HIGHWAY 81
DENTON, MT 59430 FERGUS

Sys Fac ID: 14-09013

Last Inspected On: 9/24/2014

Operating Permit Renewal Date: 10/7/2017

Contact: Jim Hodges,

Owners/Operators: 341 CES CEANQ, Owner (406)-731-6188 39 78TH ST N
MALMSTROM AFB MT 59402-7536
Lana Hedlund, UST Class A Operator
Lana Hedlund, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
2	23	8/1/1992	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff), High Level Alarm
169		4/1/2015	Double-Walled	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	U.S. Suction	Not Applicable
Diesel			Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	Continuous Interstitial Monitor	
4,000			TLS-350/Gilbarco EMC , Veeder Root		

Facility Summary in FERGUS County in the City of DENTON

Location: MALMSTROM AFB D 07
MT HIGHWAY 81
DENTON, MT 59430 FERGUS

Sys Fac ID: 14-09014
Last Inspected On: 9/24/2014
Operating Permit Renewal Date: 10/7/2017

Contact: Jim Hodges,

Owners/Operators: 341 CES CEANQ, Owner (406)-731-6188 39 78TH ST N
MALMSTROM AFB MT 59402-7536
Lana Hedlund, UST Class A Operator
Lana Hedlund, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
2	26	6/21/1989	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff), High Level Alarm
170		4/9/2015	Double-Walled	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	U.S. Suction	Not Applicable
Diesel			Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	Continuous Interstitial Monitor, Approved Remote Monitoring	
4,000			TLS-350/Gilbarco EMC , Veeder Root		

Facility Summary in FERGUS County in the City of DENTON

Location: MALMSTROM AFB D 8
MT HIGHWAY 81
DENTON, MT 59430 FERGUS

Sys Fac ID: 14-09015
Last Inspected On: 9/24/2014
Operating Permit Renewal Date: 10/7/2017

Contact: Jim Hodges,

Owners/Operators: 341 CES CEANQ, Owner (406)-731-6188 39 78TH ST N
MALMSTROM AFB MT 59402-7536

Lana Hedlund, UST Class A Operator
James Hodges, UST Class A Operator
Lana Hedlund, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
2	23	8/12/1992	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff), High Level Alarm
171		4/16/2015	Double-Walled	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	U.S. Suction	Not Applicable
Diesel			Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	Continuous Interstitial Monitor	
4,000			TLS-350/Gilbarco EMC , Veeder Root		

Facility Summary in FERGUS County in the City of DENTON

Location: MALMSTROM AFB D 9
MT HIGHWAY 81
DENTON, MT 59430 FERGUS

Sys Fac ID: 14-09016
Last Inspected On: 9/24/2014
Operating Permit Renewal Date: 10/7/2017

Contact: Jim Hodges,

Owners/Operators: 341 CES CEANQ, Owner (406)-731-6188 39 78TH ST N
MALMSTROM AFB MT 59402-7536

Lana Hedlund, UST Class A Operator
James Hodges, UST Class A Operator
Lana Hedlund, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
1	23	8/1/1992	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff), High Level Alarm
172		6/4/2015	Double-Walled	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	U.S. Suction	Not Applicable
Diesel			Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	Continuous Interstitial Monitor	
4,000			TLS-350/Gilbarco EMC , Veeder Root		

Facility Summary in FERGUS County in the City of DENTON

Location: MALMSTROM AFB D 10
MT HIGHWAY 81
DENTON, MT 59430 FERGUS

Sys Fac ID: 14-09017

Last Inspected On: 11/10/2014

Operating Permit Renewal Date: 9/15/2017

Contact: Jim Hodges,

Owners/Operators: 341 CES CEANQ, Owner (406)-731-6188 39 78TH ST N
MALMSTROM AFB MT 59402-7536

Lana Hedlund, UST Class A Operator

James Hodges, UST Class A Operator

Lana Hedlund, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
2	23	8/1/1992	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff), High Level Alarm
173		5/28/2015	Double-Walled	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	U.S. Suction	Not Applicable
Diesel			Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	Continuous Interstitial Monitor	
4,000			TLS-350/Gilbarco EMC , Veeder Root		

Facility Summary in FERGUS County in the City of DENTON

Location: MALMSTROM AFB D 11
MT HIGHWAY 81
DENTON, MT 59430 FERGUS

Sys Fac ID: 14-09018
Last Inspected On: 10/27/2014
Operating Permit Renewal Date: 9/15/2017

Contact: Jim Hodges,

Owners/Operators: 341 CES CEANQ, Owner (406)-731-6188 39 78TH ST N
MALMSTROM AFB MT 59402-7536
Lana Hedlund, UST Class A Operator
Lana Hedlund, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
2	23	8/1/1992	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff), High Level Alarm
174		5/22/2015	Double-Walled	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	U.S. Suction	Not Applicable
Diesel			Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	Continuous Interstitial Monitor	
4,000			TLS-350/Gilbarco EMC , Veeder Root		

Facility Summary in FERGUS County in the City of DENTON

Location: MALMSTROM AFB D 4
MT HIGHWAY 81
DENTON, MT 59430 FERGUS

Sys Fac ID: 14-10841

Last Inspected On: 4/7/2015

Operating Permit Renewal Date: 4/14/2018

Contact: Walter Gibbings, (406) 731-6188

Owners/Operators: 341 CES CEANQ, Owner (406)-731-6188 39 78TH ST N
MALMSTROM AFB MT 59402-7536

Lana Hedlund, UST Class A Operator

James Hodges, UST Class A Operator

Lana Hedlund, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
3	01	10/1/2014	Fiberglass Reinforced Plastic	Flexible Plastic	High Level Alarm, Flapper Valve (Auto Shutoff)
5544		10/24/2014	Double-Walled	Double-Walled	Yes
Currently in Use			Auto Dialer	U.S. Suction	Not Applicable
Diesel			Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	Continuous Interstitial Monitor	
4,000		10/22/2014	TLS-350/Gilbarco EMC , Veeder Root	Not Listed	

Facility Summary in FERGUS County in the City of FORESTGROVE

Location: MALMSTROM AFB N 4
ROAD 238
FORESTGROVE, MT 59441 FERGUS

Sys Fac ID: 14-09121
Last Inspected On: 8/5/2013
Operating Permit Renewal Date: 8/14/2016

Contact: Jim Hodges,

Owners/Operators: 341 CES CEANQ, Owner (406)-731-6188 39 78TH ST N
MALMSTROM AFB MT 59402-7536

Lana Hedlund, UST Class A Operator
James Hodges, UST Class A Operator
Lana Hedlund, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
1	22	8/1/1993	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff), High Level Alarm
201		8/29/2013	Double-Walled	Double-Walled	Yes
Currently in Use			Auto Dialer	U.S. Suction	Not Applicable
Diesel			Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	Continuous Interstitial Monitor	
4,000					

Facility Summary in FERGUS County in the City of FORESTGROVE

Location: MALMSTROM AFB N 5
ROAD 238
FORESTGROVE, MT 59441 FERGUS

Sys Fac ID: 14-09122
Last Inspected On: 8/5/2013
Operating Permit Renewal Date: 8/14/2016

Contact: Jim Hodges,

Owners/Operators: 341 CES CEANQ, Owner (406)-731-6188 39 78TH ST N
MALMSTROM AFB MT 59402-7536
Lana Hedlund, UST Class A Operator
James Hodges, UST Class A Operator
Lana Hedlund, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
2	22	8/1/1993	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff), High Level Alarm
202		8/22/2013	Double-Walled	Double-Walled	Yes
Currently in Use			Auto Dialer	U.S. Suction	Not Applicable
Diesel			Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	Continuous Interstitial Monitor	
4,000					

Facility Summary in FERGUS County in the City of FORESTGROVE

Location: MALMSTROM AFB N 6
ROAD 238
FORESTGROVE, MT 59441 FERGUS

Sys Fac ID: 14-09123
Last Inspected On: 8/5/2013
Operating Permit Renewal Date: 8/14/2016

Contact: Jim Hodges,

Owners/Operators: 341 CES CEANQ, Owner (406)-731-6188 39 78TH ST N
MALMSTROM AFB MT 59402-7536
Lana Hedlund, UST Class A Operator
James Hodges, UST Class A Operator
Lana Hedlund, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
1	22	8/13/1993	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff)
203		8/15/2013	Double-Walled	Double-Walled	Yes
Currently in Use			Auto Dialer	U.S. Suction	Not Applicable
Diesel			Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	Continuous Interstitial Monitor	
4,000					

Facility Summary in FERGUS County in the City of GARNEILL

Location: MALMSTROM AFB L 10
US HIGHWAY 191
GARNEILL, MT 59453 FERGUS

Sys Fac ID: 14-09105

Last Inspected On: 7/24/2013

Operating Permit Renewal Date: 7/31/2016

Contact: Jim Hodges,

Owners/Operators: 341 CES CEANQ, Owner (406)-731-6188 39 78TH ST N
MALMSTROM AFB MT 59402-7536

Lana Hedlund, UST Class A Operator

James Hodges, UST Class A Operator

Lana Hedlund, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
2	22	5/1/1993	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff), High Level Alarm
188		7/16/2014	Double-Walled	Double-Walled	Yes
Currently in Use			Not Required	U.S. Suction	Not Applicable
Diesel			Continuous Interstitial Monitor	Continuous Interstitial Monitor	
4,000			TLS-350/Gilbarco EMC , Veeder Root		

Facility Summary in FERGUS County in the City of GRASS RANGE

Location: LITTLE MONTANA TRUCK STOP
US HIGHWAY 87
GRASS RANGE, MT 59032 FERGUS
Contact: Jolene Smith, (406) 428-2270

Sys Fac ID: 14-06338
Last Inspected On: 7/10/2013
Operating Permit Renewal Date: 9/6/2016

Owners/Operators: GS Oil Inc Roy, Owner (406)-464-2221 PO BOX 149
ROY MT 59471-0149
Jolene Smith, UST Class A Operator
Jolene Smith, UST Class B Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
5	17	9/1/1998	Cathodically Protected Steel	Flexible Plastic	High Level Alarm
1138			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Galvanic
Gasoline		7/10/2013	Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	
8,000					
6	17	9/1/1998	Cathodically Protected Steel	Flexible Plastic	High Level Alarm
1139			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Galvanic
Gasoline		7/10/2013	Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	
4,000					
7	17	9/1/1998	Cathodically Protected Steel	Flexible Plastic	High Level Alarm
1140			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Galvanic
Diesel		7/10/2013	Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	
10,000					
8	17	9/1/1998	Cathodically Protected Steel	Flexible Plastic	High Level Alarm
1141			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Galvanic
Diesel		7/10/2013	Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	
6,000					

Facility Summary in FERGUS County in the City of GRASS RANGE

Location: LITTLE MONTANA TRUCK STOP
US HIGHWAY 87
GRASS RANGE, MT 59032 FERGUS

Sys Fac ID: 14-06338
Last Inspected On: 7/10/2013
Operating Permit Renewal Date: 9/6/2016

Contact: Jolene Smith, (406) 428-2270

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
9	17	9/1/1998	Cathodically Protected Steel	Flexible Plastic	High Level Alarm
1142			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Galvanic
Diesel		7/10/2013	Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	
4,000					

Facility Summary in FERGUS County in the City of GRASS RANGE

Location: MALMSTROM AFB N 1
US HIGHWAY 87
GRASS RANGE, MT 59032 FERGUS

Sys Fac ID: 14-09118
Last Inspected On: 8/5/2013
Operating Permit Renewal Date: 8/14/2016

Contact: Jim Hodges,

Owners/Operators: 341 CES CEANQ, Owner (406)-731-6188 39 78TH ST N
MALMSTROM AFB MT 59402-7536

Lana Hedlund, UST Class A Operator
James Hodges, UST Class A Operator
Ricardo Andrillon, UST Class B Operator
Glen Beck, UST Class B Operator
Allen Brooks, UST Class B Operator
Jonathan Buesch, UST Class B Operator
John Corbett, UST Class B Operator
David Cosner, UST Class B Operator
Ryan Cox, UST Class B Operator
Brian Day, UST Class B Operator
David Degolier, UST Class B Operator
Hudson English, UST Class B Operator
Michael Harris, UST Class B Operator
Eric Haumschild, UST Class B Operator
Dustin Hemingway, UST Class B Operator
Aaron Hill, UST Class B Operator
William Hoffmeister, UST Class B Operator
Shane Hofstad, UST Class B Operator
Bethany Kent, UST Class B Operator
James Knudsen, UST Class B Operator
Ryan Kofoed, UST Class B Operator
Jeff Laird, UST Class B Operator
Damon McCarty, UST Class B Operator
Kieth McIlwain, UST Class B Operator
Brian McVay, UST Class B Operator
Ronald Miller, UST Class B Operator
Michael Murieen, UST Class B Operator
Jeff Nelson, UST Class B Operator
Shawn O'Grady, UST Class B Operator
Chris Ploof, UST Class B Operator
Issac Price, UST Class B Operator
Brian Rayner, UST Class B Operator

Facility Summary in FERGUS County in the City of GRASS RANGE

Location: MALMSTROM AFB N 1
US HIGHWAY 87
GRASS RANGE, MT 59032 FERGUS

Sys Fac ID: 14-09118
Last Inspected On: 8/5/2013
Operating Permit Renewal Date: 8/14/2016

Contact: Jim Hodges,
Cameron Smith, UST Class B Operator
Jimmy Sonefelt, UST Class B Operator
Michael Stokes, UST Class B Operator
Kyle Topp, UST Class B Operator
Jason Vike, UST Class B Operator
Mark Wight, UST Class B Operator
James Wooderchak, UST Class B Operator
Paul Ziemba, UST Class B Operator
Lana Hedlund, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
2	53	6/2/1962	Cathodically Protected Steel	Flexible Plastic	Flapper Valve (Auto Shutoff)
198		8/1/2013	Lined Interior/Impressed Current	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	U.S. Suction	Impressed Current
Diesel		4/13/2009	Automatic Tank Gauging 0.2, Vapor Monitoring	Continuous Interstitial Monitor	
12,000			TLS-350/Gilbarco EMC , Veeder Root		

Facility Summary in FERGUS County in the City of GRASS RANGE

Location: MALMSTROM AFB N 2
US HIGHWAY 87
GRASS RANGE, MT 59032 FERGUS

Sys Fac ID: 14-09119
Last Inspected On: 8/6/2013
Operating Permit Renewal Date: 8/14/2016

Contact: Jim Hodges,

Owners/Operators: 341 CES CEANQ, Owner (406)-731-6188 39 78TH ST N
MALMSTROM AFB MT 59402-7536
Lana Hedlund, UST Class A Operator
James Hodges, UST Class A Operator
Lana Hedlund, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
2	22	7/1/1993	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff), High Level Alarm
199		8/1/2013	Double-Walled	Double-Walled	Yes
Currently in Use			Auto Dialer	U.S. Suction	Not Applicable
Diesel			Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	Continuous Interstitial Monitor	
4,000					

Facility Summary in FERGUS County in the City of GRASS RANGE

Location: MALMSTROM AFB N 3
MT HIGHWAY 19
GRASS RANGE, MT 59032 FERGUS

Sys Fac ID: 14-09120
Last Inspected On: 8/6/2013
Operating Permit Renewal Date: 8/14/2016

Contact: Jim Hodges,

Owners/Operators: 341 CES CEANQ, Owner (406)-731-6188 39 78TH ST N
MALMSTROM AFB MT 59402-7536

Lana Hedlund, UST Class A Operator
James Hodges, UST Class A Operator
Lana Hedlund, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
2	25	3/26/1990	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff), High Level Alarm
200		8/1/2013	Double-Walled	Double-Walled	Yes
Currently in Use			Auto Dialer	U.S. Suction	Not Applicable
Diesel			Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	Continuous Interstitial Monitor	
4,000					

Facility Summary in FERGUS County in the City of HILGER

Location: MALMSTROM AFB E 6
ROAD 236
HILGER, MT 59451 FERGUS

Sys Fac ID: 14-09024

Last Inspected On: 11/6/2014

Operating Permit Renewal Date: 9/15/2017

Contact: Jim Hodges,

Owners/Operators: 341 CES CEANQ, Owner (406)-731-6188 39 78TH ST N
MALMSTROM AFB MT 59402-7536

Lana Hedlund, UST Class A Operator

James Hodges, UST Class A Operator

Lana Hedlund, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
1	23	7/1/1992	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff), High Level Alarm
180		10/23/2014	Double-Walled	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	U.S. Suction	Not Applicable
Diesel			Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	Continuous Interstitial Monitor	
4,000			TLS-350/Gilbarco EMC , Veeder Root		

Facility Summary in FERGUS County in the City of HILGER

Location: MALMSTROM AFB E 7
ROAD 236
HILGER, MT 59451 FERGUS

Sys Fac ID: 14-09025
Last Inspected On: 11/4/2014
Operating Permit Renewal Date: 9/15/2017

Contact: Jim Hodges,

Owners/Operators: 341 CES CEANQ, Owner (406)-731-6188 39 78TH ST N
MALMSTROM AFB MT 59402-7536
Lana Hedlund, UST Class A Operator
James Hodges, UST Class A Operator
Lana Hedlund, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
2	26	8/1/1989	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff), High Level Alarm
181		11/6/2014	Double-Walled	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	U.S. Suction	Not Applicable
Diesel			Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	Continuous Interstitial Monitor	
4,000			TLS-350/Gilbarco EMC , Veeder Root		

Facility Summary in FERGUS County in the City of HILGER

Location: MALMSTROM AFB E 8
MT HIGHWAY 81
HILGER, MT 59451 FERGUS
Contact: William McLaughlin, (406) 731-6188

Sys Fac ID: 14-09026
Last Inspected On: 9/24/2014
Operating Permit Renewal Date: 10/7/2017

Owners/Operators: 341 CES CEANQ, Owner (406)-731-6188 39 78TH ST N
MALMSTROM AFB MT 59402-7536
Lana Hedlund, UST Class A Operator
James Hodges, UST Class A Operator
Lana Hedlund, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
3	02	12/1/2013	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff), High Level Alarm
5465		4/4/2014	Double-Walled	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	U.S. Suction	Not Applicable
Diesel			Continuous Interstitial Monitor	Continuous Interstitial Monitor	
4,000			TLS-350/Gilbarco EMC , Veeder Root	Not Listed	Yes

Facility Summary in FERGUS County in the City of HILGER

Location: MALMSTROM AFB E 9
ROAD 236
HILGER, MT 59451 FERGUS

Sys Fac ID: 14-09027
Last Inspected On: 11/4/2014
Operating Permit Renewal Date: 9/15/2017

Contact: Jim Hodges,

Owners/Operators: 341 CES CEANQ, Owner (406)-731-6188 39 78TH ST N
MALMSTROM AFB MT 59402-7536
Lana Hedlund, UST Class A Operator
James Hodges, UST Class A Operator
Lana Hedlund, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
2	23	7/1/1992	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff), High Level Alarm
4270		10/30/2014	Double-Walled	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	U.S. Suction	Not Applicable
Diesel			Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	Continuous Interstitial Monitor	
4,000		5/1/2013	TLS-350/Gilbarco EMC , Veeder Root		

Facility Summary in FERGUS County in the City of HILGER

Location: MALMSTROM AFB M 2
MT HIGHWAY 81
HILGER, MT 59451 FERGUS

Sys Fac ID: 14-09108

Last Inspected On: 7/10/2013

Operating Permit Renewal Date: 7/24/2016

Contact: Jim Hodges,

Owners/Operators: 341 CES CEANQ, Owner (406)-731-6188 39 78TH ST N
MALMSTROM AFB MT 59402-7536

Lana Hedlund, UST Class A Operator

James Hodges, UST Class A Operator

Lana Hedlund, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
1	22	8/1/1993	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff)
191		11/14/2013	Double-Walled	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	U.S. Suction	Not Applicable
Diesel			Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	Continuous Interstitial Monitor	
4,000			TLS-350/Gilbarco EMC , Veeder Root		

Facility Summary in FERGUS County in the City of HILGER

Location: MALMSTROM AFB M 3
US HIGHWAY 191
HILGER, MT 59451 FERGUS

Sys Fac ID: 14-09109
Last Inspected On: 7/10/2013
Operating Permit Renewal Date: 7/24/2016

Contact: Jim Hodges,

Owners/Operators: 341 CES CEANQ, Owner (406)-731-6188 39 78TH ST N
MALMSTROM AFB MT 59402-7536
Lana Hedlund, UST Class A Operator
James Hodges, UST Class A Operator
Lana Hedlund, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
2	22	8/1/1993	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff), High Level Alarm
192		11/6/2013	Double-Walled	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	U.S. Suction	Not Applicable
Diesel			Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	Continuous Interstitial Monitor	
4,000			TLS-350/Gilbarco EMC , Veeder Root		

Facility Summary in FERGUS County in the City of HILGER

Location: MALMSTROM AFB O 8
US HIGHWAY 191
HILGER, MT 59451 FERGUS

Sys Fac ID: 14-09136

Last Inspected On: 7/25/2013

Operating Permit Renewal Date: 7/31/2016

Contact: Jim Hodges,

Owners/Operators: 341 CES CEANQ, Owner (406)-731-6188 39 78TH ST N
MALMSTROM AFB MT 59402-7536

Lana Hedlund, UST Class A Operator

James Hodges, UST Class A Operator

Lana Hedlund, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
1	22	8/1/1993	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff), High Level Alarm
216		7/11/2013	Double-Walled	Double-Walled	Yes
Currently in Use			Auto Dialer	U.S. Suction	Not Applicable
Diesel			Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	Continuous Interstitial Monitor	
4,000					

Facility Summary in FERGUS County in the City of HILGER

Location: MALMSTROM AFB O 9
US HIGHWAY 191
HILGER, MT 59451 FERGUS

Sys Fac ID: 14-09137

Last Inspected On: 7/25/2013

Operating Permit Renewal Date: 7/31/2016

Contact: Jim Hodges,

Owners/Operators: 341 CES CEANQ, Owner (406)-731-6188 39 78TH ST N
MALMSTROM AFB MT 59402-7536

Lana Hedlund, UST Class A Operator

James Hodges, UST Class A Operator

Lana Hedlund, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
2	22	8/1/1993	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff), High Level Alarm
217		4/11/2013	Double-Walled	Double-Walled	Yes
Currently in Use			Auto Dialer	U.S. Suction	Not Applicable
Diesel			Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	Continuous Interstitial Monitor	
4,000					

Facility Summary in FERGUS County in the City of LEWISTOWN

Location: RINDALS FORT LEWIS TRADING POST
1502 W MAIN ST
LEWISTOWN, MT 59457 FERGUS

Sys Fac ID: 14-00095

Last Inspected On: 3/6/2013

Operating Permit Renewal Date: 6/16/2016

Contact: Chris Rindal, (406) 535-7532

Owners/Operators: Rindal Oil Co, Owner/Operator (406)-535-2752 PO BOX 504
LEWISTOWN MT 59457-2202

Chris Rindal, UST Class A Operator
Kelly Davis, UST Class B Operator
Robert Heller, UST Class B Operator
Joni Hartford, UST Class B Global Operator
Chris Rindal, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
1	36	6/1/1979	Cathodically Protected Steel	Steel	Flapper Valve (Auto Shutoff)
3923			Lined Interior/Impressed Current	None	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Impressed Current
Gasoline		3/6/2013	Stat. Inventory Reconciliation	Stat. Inventory Reconciliation, MLLD Line Tightness Testing	
10,000		3/6/2013			
2	37	12/31/1978	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff)
3924			Lined Interior/Impressed Current	None	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Impressed Current
Gasoline		3/6/2013	Stat. Inventory Reconciliation	Stat. Inventory Reconciliation, MLLD Line Tightness Testing	
10,000		3/6/2013			

Facility Summary in FERGUS County in the City of LEWISTOWN

Location: CENTRAL MONTANA MEDICAL CENTER
408 WENDELL AVE
LEWISTOWN, MT 59457 FERGUS

Sys Fac ID: 14-01228

Last Inspected On: 12/21/2015

Operating Permit Renewal Date: 2/9/2019

Contact: Ron Baumann, (406) 538-7711

Owners/Operators: Central Montana Medical Center, Owner

(406)-538-6231

408 WENDELL AVE
LEWISTOWN MT 59457-2261

Ronald Baumann, UST Class A Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
2	19	7/1/1996	Steel Clad	Flexible Plastic	Flapper Valve (Auto Shutoff)
607		12/21/2015	Double-Walled	Double-Walled	Yes
Currently in Use			Auto Dialer	U.S. Suction	Galvanic
Diesel		10/8/2012	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	Continuous Interstitial Monitor	
4,000			TLS-300 , Veeder Root		

Facility Summary in FERGUS County in the City of LEWISTOWN

Location: COUNTRY CORNER LEWISTOWN
102 W MAIN ST
LEWISTOWN, MT 59457 FERGUS

Sys Fac ID: 14-01969

Last Inspected On: 1/15/2015

Operating Permit Renewal Date: 2/28/2018

Contact: Chris Rindal, (406) 535-2752

Owners/Operators: Rindal Oil Co, Owner (406)-535-2752 PO BOX 504
LEWISTOWN MT 59457-2202
Chris Rindal, Operator (406)-535-2752 PO BOX 504
LEWISTOWN MT 59457
Chris Rindal, UST Class A Operator
Tina Blair, UST Class B Operator
Christina Heller, UST Class B Global Operator
Chris Rindal, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
4	25	5/6/1990	Cathodically Protected Steel	Fiberglass Reinforced Plastic	High Level Alarm
1501			None	None	Yes
Currently in Use			Not Required	Safe Suction	Galvanic
Gasoline		1/15/2015	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2	Deferred	
6,000			TLS-300 , Veeder Root		
5	25	5/6/1990	Cathodically Protected Steel	Fiberglass Reinforced Plastic	High Level Alarm
1502			None	None	Yes
Currently in Use			Not Required	Safe Suction	Galvanic
Gasoline		1/15/2015	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2	Deferred	
6,000			TLS-300 , Veeder Root		
6	25	5/6/1990	Cathodically Protected Steel	Fiberglass Reinforced Plastic	High Level Alarm
1503			None	None	Yes
Currently in Use			Not Required	Safe Suction	Galvanic
Diesel		1/15/2015	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2	Deferred	
8,000			TLS-300 , Veeder Root		

Facility Summary in FERGUS County in the City of LEWISTOWN

Location: RINDALS WEST END SERVICE
1015 TRUCK BYP
LEWISTOWN, MT 59457 FERGUS
Contact: Chris Rindall, (406) 538-2752

Sys Fac ID: 14-03118
Last Inspected On: 6/18/2013
Operating Permit Renewal Date:

Owners/Operators: Paul Reese, Owner (406)-538-8384 PO BOX 102
LEWISTOWN MT 59457-0102

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
8	17	11/1/1998	Cathodically Protected Steel	Fiberglass Reinforced Plastic	High Level Alarm
1838			None	None	Yes
Temporarily Out of Use			Electronic Line Leak Detector	Pressurized	Galvanic
Gasoline		6/18/2013	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2, MLLD Line Tightness Testing	
8,000					
9	17	11/1/1998	Cathodically Protected Steel	Fiberglass Reinforced Plastic	High Level Alarm
1839			None	None	Yes
Temporarily Out of Use			Electronic Line Leak Detector	Pressurized	Galvanic
Diesel		6/18/2013	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2, MLLD Line Tightness Testing	
4,000					
10	17	11/1/1998	Cathodically Protected Steel	Fiberglass Reinforced Plastic	High Level Alarm
1840			None	None	Yes
Temporarily Out of Use			Electronic Line Leak Detector	Pressurized	Galvanic
Gasoline		6/18/2013	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2, MLLD Line Tightness Testing	
8,000					

Facility Summary in FERGUS County in the City of LEWISTOWN

Location: MDOT 53 1409 LEWISTOWN AIRPORT RD
1620 AIRPORT RD
LEWISTOWN, MT 59457 FERGUS

Contact: Joe Radonich, (406) 444-9204

Sys Fac ID: 14-04062

Last Inspected On: 2/7/2014

Operating Permit Renewal Date: 5/12/2017

Owners/Operators: MDOT Helena, Owner

(406)-444-6200 KIM JANZEN
PO BOX 201001
HELENA MT 59620-1001

Joseph J Radonich, Operator

(406)-444-9204 MDT
DEADHEAD
HELENA MT 59620-0901

Jeff Gleason, UST Class A Operator

Walt Kerttula, UST Class A Operator

Mike Murolo, UST Class A Operator

Joe Radonich, UST Class A Operator

Gary Cecrie, UST Class B Operator

Stephen Foy, UST Class B Operator

Douglas Robbins, UST Class B Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
5	22	10/1/1993	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff)
4771			None	None	Yes
Currently in Use			Not Required	Safe Suction	Galvanic
Gasoline		2/7/2014	Automatic Tank Gauging 0.2	Not Listed	
10,000					
6	22	10/1/1993	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff)
4772			None	None	Yes
Currently in Use			Not Required	Safe Suction	Galvanic
Diesel		2/7/2014	Automatic Tank Gauging 0.2	Not Listed	
10,000					

Facility Summary in FERGUS County in the City of LEWISTOWN

Location: SKYLINE AVIATION
410 SKYLINE DRIVE
LEWISTOWN, MT 59457 FERGUS

Sys Fac ID: 14-04561

Last Inspected On: 12/21/2015

Operating Permit Renewal Date: 4/30/2019

Contact: Greg Smith, (406) 538-8150

Owners/Operators: Skyline Aviation LLC, Owner/Operator (406)-538-8150 410 SKYLINE DRIVE
LEWISTOWN MT 59457

Donald Newton, UST Class A Operator
Greg Smith, UST Class A Operator
Donald Newton, UST Class B Global Operator
Greg Smith, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
5	33	4/13/1982	Cathodically Protected Steel	Fiberglass Reinforced Plastic	High Level Alarm
444			Lined Interior/Impressed Current	Double-Walled	Yes
Currently in Use		7/8/2008	Mechanical Line Leak Detector	Pressurized	Impressed Current
Gasoline		12/21/2015	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	
10,000		12/21/2015	Soil Sentry Liquid 330 , Arizona Instrument	Manual Interstitial Monitor	

Facility Summary in FERGUS County in the City of LEWISTOWN

Location: MONTANA MENTAL HEALTH NURSING CARE
800 CASINO CREEK DR
LEWISTOWN, MT 59457 FERGUS

Sys Fac ID: 14-05032

Last Inspected On: 6/18/2014

Operating Permit Renewal Date: 7/1/2017

Contact: Paul Grensten, (406) 538-7451

Owners/Operators: Montana Mental Health Nursing Care, Owner (406)-538-7451 800 CASINO CREEK DR
LEWISTOWN MT 59457-3359
Henry Berry, UST Class A Operator
Mike Schenck, UST Class A Operator
Henry Berry, UST Class B Operator
Jason Fry, UST Class B Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
2	08	6/25/2007	Fiberglass Reinforced Plastic	Flexible Plastic	Flapper Valve (Auto Shutoff)
5128		9/3/2014	Double-Walled	Double-Walled	Yes
Currently in Use			Auto Dialer	Pressurized	Not Applicable
Heating Oil			Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	Continuous Interstitial Monitor	
2,500					

Facility Summary in FERGUS County in the City of LEWISTOWN

Location: RINDAL OIL CO LEWISTOWN
1011 JOYLAND RD
LEWISTOWN, MT 59457 FERGUS

Sys Fac ID: 14-05108

Last Inspected On: 8/19/2015

Operating Permit Renewal Date: 2/4/2019

Contact: Donald A Rindal, (406) 538-3396

Owners/Operators: Donald A Rindal, Owner

PO BOX 504

LEWISTOWN MT 59457-0504

Chris Rindal, UST Class A Operator

Chris Rindal, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
11	17	1/1/1999	Aboveground Tank	Flexible Plastic	
3931	Yes		None	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	Pressurized	Not Applicable
Gasoline			Deferred	Continuous Interstitial Monitor	
1,000					
12	17	1/1/1999	Aboveground Tank	Flexible Plastic	
3932	Yes		None	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	Pressurized	Not Applicable
Diesel			Deferred	Continuous Interstitial Monitor	
1,000					
13	17	1/1/1999	Aboveground Tank	Flexible Plastic	
3933	Yes		None	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	Pressurized	Not Applicable
Diesel			Deferred	Continuous Interstitial Monitor	
2,000					

Facility Summary in FERGUS County in the City of LEWISTOWN

Location: PJG MOTORSPORTS UST
624 W MAIN ST
LEWISTOWN, MT 59457 FERGUS

Sys Fac ID: 14-08126
Last Inspected On: 4/29/2015

Operating Permit Renewal Date:

Contact: Paul Granot, (406) 535-8000

Owners/Operators: Paul J Granot, Owner (406)-538-4271 511 4TH AVE S
LEWISTOWN MT 59457-3117

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
2	36	4/1/1979	Cathodically Protected Steel	Steel	Flapper Valve (Auto Shutoff)
3717			Lined Interior/Impressed Current	None	Yes
Temporarily Out of Use		4/1/2001	Not Required	Safe Suction	Impressed Current
Gasoline		6/6/2012	Stat. Inventory Reconciliation	Stat. Inventory Reconciliation	
10,000					
3	36	4/25/1979	Cathodically Protected Steel	Steel	Flapper Valve (Auto Shutoff)
4686			Lined Interior/Impressed Current	None	Yes
Temporarily Out of Use		4/1/2001	Not Required	Safe Suction	Impressed Current
Gasoline		6/6/2012	Stat. Inventory Reconciliation	Stat. Inventory Reconciliation	
6,000					
4	35	4/24/1980	Bare Steel	Steel	
4687			Impressed Current	None	Yes
Temporarily Out of Use			Not Required	Gravity Feed	Impressed Current
Waste Oil		6/6/2012	Manual Tank Gauging	Stat. Inventory Reconciliation, MLLD Line Tightness Testing	
550					

Facility Summary in FERGUS County in the City of LEWISTOWN

Location: TOWN PUMP INC LEWISTOWN
622 1/2 NE MAIN ST
LEWISTOWN, MT 59457 FERGUS

Sys Fac ID: 14-08711

Last Inspected On: 4/5/2013

Operating Permit Renewal Date: 8/13/2016

Contact: Roger Hovis, (406) 538-2217

Owners/Operators: Great Falls Holdings LLC, Owner (406)-497-6700 PO BOX 6000
BUTTE MT 59702-6000
Idaho Washington Pole Oil Co, Owner (406)-497-6700 PO BOX 6000
BUTTE MT 59702-6000
Trent Biggers, UST Class A Operator
Trent Biggers, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
1	45	4/14/1970	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff)
2415			Lined Interior/Impressed Current	None	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Impressed Current
Gasoline		4/3/2013	Stat. Inventory Reconciliation, Approved Remote Monitoring	Stat. Inventory Reconciliation, Approved Remote Monitoring	
10,000					
2	24	6/1/1991	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve
2419			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Gasoline		2/9/2006	Stat. Inventory Reconciliation, Approved Remote Monitoring	Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Approved Remote Monitoring	
6,000					
3	38	4/14/1977	Bare Steel	Flexible Plastic	Flapper Valve (Auto Shutoff)
2418			Lined Interior/Impressed Current	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Impressed Current
Gasoline		4/3/2013	Stat. Inventory Reconciliation, Approved Remote Monitoring	Stat. Inventory Reconciliation, Approved Remote Monitoring	
12,000					

Facility Summary in FERGUS County in the City of LEWISTOWN

Location: TOWN PUMP INC LEWISTOWN
622 1/2 NE MAIN ST
LEWISTOWN, MT 59457 FERGUS

Contact: Roger Hovis, (406) 538-2217

Sys Fac ID: 14-08711
Last Inspected On: 4/5/2013
Operating Permit Renewal Date: 8/13/2016

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
4	45	4/14/1970	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff)
2416			Lined Interior/Impressed Current	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Impressed Current
Gasoline		4/3/2013	Stat. Inventory Reconciliation, Approved Remote Monitoring	Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Approved Remote Monitoring	
8,000					
5	38	4/14/1977	Cathodically Protected Steel	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff)
2417			Lined Interior/Impressed Current	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Impressed Current
Diesel		4/3/2013	Stat. Inventory Reconciliation, Approved Remote Monitoring	Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Approved Remote Monitoring	
10,000					
6	14	9/1/2001	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve
4521			Double-Walled	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	Pressurized	Not Applicable
Diesel		2/9/2006	Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Approved Remote Monitoring	Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Approved Remote Monitoring	
10,000					
7	14	9/1/2001	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve
4522			Double-Walled	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	Pressurized	Not Applicable
Diesel		2/9/2006	Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Approved Remote Monitoring	Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Approved Remote Monitoring	
10,000					

Facility Summary in FERGUS County in the City of LEWISTOWN

Location: TOWN PUMP INC LEWISTOWN
622 1/2 NE MAIN ST
LEWISTOWN, MT 59457 FERGUS

Sys Fac ID: 14-08711

Last Inspected On: 4/5/2013

Operating Permit Renewal Date: 8/13/2016

Contact: Roger Hovis, (406) 538-2217

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
8	14	9/1/2001	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve
4523			Double-Walled	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	Pressurized	Not Applicable
Diesel		2/9/2006	Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Approved Remote Monitoring	Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Approved Remote Monitoring	
5,000					
9	14	9/1/2001	Fiberglass Reinforced Plastic	Flexible Plastic	Ball Float Valve
4524			Double-Walled	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	Pressurized	Not Applicable
Diesel		2/9/2006	Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Approved Remote Monitoring	Continuous Interstitial Monitor, Stat. Inventory Reconciliation, Approved Remote Monitoring	
5,000					

Facility Summary in FERGUS County in the City of LEWISTOWN

Location: MALMSTROM AFB M 4
ROAD 505
LEWISTOWN, MT 59457 FERGUS

Sys Fac ID: 14-09110
Last Inspected On: 7/11/2013
Operating Permit Renewal Date: 7/24/2016

Contact: Jim Hodges,

Owners/Operators: 341 CES CEANQ, Owner (406)-731-6188 39 78TH ST N
MALMSTROM AFB MT 59402-7536
Lana Hedlund, UST Class A Operator
James Hodges, UST Class A Operator
Lana Hedlund, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
2	22	8/11/1993	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff)
193		9/1/2013	Double-Walled	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	U.S. Suction	Not Applicable
Diesel			Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	Continuous Interstitial Monitor	
4,000			TLS-350/Gilbarco EMC , Veeder Root		

Facility Summary in FERGUS County in the City of LEWISTOWN

Location: MALMSTROM AFB M 5
US HIGHWAY 87
LEWISTOWN, MT 59457 FERGUS

Sys Fac ID: 14-09111
Last Inspected On: 7/11/2013
Operating Permit Renewal Date: 7/24/2016

Contact: Jim Hodges,

Owners/Operators: 341 CES CEANQ, Owner (406)-731-6188 39 78TH ST N
MALMSTROM AFB MT 59402-7536
Lana Hedlund, UST Class A Operator
James Hodges, UST Class A Operator
Lana Hedlund, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
1	22	5/1/1993	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff), High Level Alarm
194		9/5/2013	Double-Walled	Double-Walled	Yes
Currently in Use			Auto Dialer	U.S. Suction	Not Applicable
Diesel			Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	Continuous Interstitial Monitor	
4,000					

Facility Summary in FERGUS County in the City of LEWISTOWN

Location: MALMSTROM AFB N 7
ROAD 238
LEWISTOWN, MT 59457 FERGUS

Sys Fac ID: 14-09124
Last Inspected On: 8/6/2013
Operating Permit Renewal Date: 8/14/2016

Contact: Jim Hodges,

Owners/Operators: 341 CES CEANQ, Owner (406)-731-6188 39 78TH ST N
MALMSTROM AFB MT 59402-7536

Lana Hedlund, UST Class A Operator
James Hodges, UST Class A Operator
Lana Hedlund, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
1	22	8/1/1993	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff), High Level Alarm
204		8/7/2013	Double-Walled	Double-Walled	Yes
Currently in Use			Auto Dialer	U.S. Suction	Not Applicable
Diesel			Continuous Interstitial Monitor	Continuous Interstitial Monitor	
4,000					

Facility Summary in FERGUS County in the City of LEWISTOWN

Location: MALMSTROM AFB N 8
US HIGHWAY 87
LEWISTOWN, MT 59457 FERGUS

Sys Fac ID: 14-09125

Last Inspected On: 8/6/2013

Operating Permit Renewal Date: 8/15/2016

Contact: Jim Hodges,

Owners/Operators: 341 CES CEANQ, Owner (406)-731-6188 39 78TH ST N
MALMSTROM AFB MT 59402-7536

Lana Hedlund, UST Class A Operator

James Hodges, UST Class A Operator

Lana Hedlund, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
1	22	7/1/1993	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff), High Level Alarm
205		8/1/2013	Double-Walled	Double-Walled	Yes
Currently in Use			Auto Dialer	U.S. Suction	Not Applicable
Diesel			Continuous Interstitial Monitor	Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	
4,000					

Facility Summary in FERGUS County in the City of LEWISTOWN

Location: MALMSTROM AFB N 9
US HIGHWAY 87
LEWISTOWN, MT 59457 FERGUS

Sys Fac ID: 14-09126

Last Inspected On: 8/6/2013

Operating Permit Renewal Date: 8/14/2016

Contact: Jim Hodges,

Owners/Operators: 341 CES CEANQ, Owner (406)-731-6188 39 78TH ST N
MALMSTROM AFB MT 59402-7536

Lana Hedlund, UST Class A Operator

James Hodges, UST Class A Operator

Lana Hedlund, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
2	22	7/1/1993	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff)
206		8/1/2013	Double-Walled	Double-Walled	Yes
Currently in Use			Auto Dialer	U.S. Suction	Not Applicable
Diesel			Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	
4,000					

Facility Summary in FERGUS County in the City of LEWISTOWN

Location: MALMSTROM AFB N 10
US HIGHWAY 87
LEWISTOWN, MT 59457 FERGUS

Sys Fac ID: 14-09127
Last Inspected On: 8/7/2013
Operating Permit Renewal Date: 8/14/2016

Contact: Jim Hodges,

Owners/Operators: 341 CES CEANQ, Owner (406)-731-6188 39 78TH ST N
MALMSTROM AFB MT 59402-7536
Lana Hedlund, UST Class A Operator
James Hodges, UST Class A Operator
Lana Hedlund, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
2	22	8/1/1993	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff), High Level Alarm
207		8/2/2013	Double-Walled	Double-Walled	Yes
Currently in Use			Auto Dialer	U.S. Suction	Not Applicable
Diesel			Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	Continuous Interstitial Monitor	
4,000					

Facility Summary in FERGUS County in the City of LEWISTOWN

Location: MALMSTROM AFB N 11
US HIGHWAY 87
LEWISTOWN, MT 59457 FERGUS

Sys Fac ID: 14-09128
Last Inspected On: 8/7/2013
Operating Permit Renewal Date: 8/14/2016

Contact: Jim Hodges,

Owners/Operators: 341 CES CEANQ, Owner (406)-731-6188 39 78TH ST N
MALMSTROM AFB MT 59402-7536
Lana Hedlund, UST Class A Operator
James Hodges, UST Class A Operator
Lana Hedlund, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
2	22	8/1/1993	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff), High Level Alarm
208		8/2/2013	Double-Walled	Double-Walled	Yes
Currently in Use			Auto Dialer	U.S. Suction	Not Applicable
Diesel			Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	Continuous Interstitial Monitor	
4,000					

Facility Summary in FERGUS County in the City of LEWISTOWN

Location: DEPOT EXPRESS
513 1ST AVE N
LEWISTOWN, MT 59457 FERGUS

Sys Fac ID: 14-12547
Last Inspected On: 11/18/2013

Operating Permit Renewal Date:

Contact: Kevin Rector, (406) 535-9459

Owners/Operators: Stockton Oil Company, Owner (406)-245-6376 PO BOX 1756
BILLINGS MT 59103-1756

Mykel Stockton, UST Class A Operator
James Brown, UST Class B Operator
Kevin Rector, UST Class B Operator
Joey McConnell, UST Class B Global Operator
Christopher Stockton, UST Class B Global Operator
Joseph Stockton, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
1	24	10/29/1991	Bare Steel	Fiberglass Reinforced Plastic	High Level Alarm
2721			None	Double-Walled	Yes
Temporarily Out of Use			Continuous Interstitial Monitoring	Pressurized	Galvanic
Diesel		11/18/2013	Automatic Tank Gauging 0.2	Continuous Interstitial Monitor	
8,000					
2	24	10/29/1991	Bare Steel	Fiberglass Reinforced Plastic	High Level Alarm
2722			None	Double-Walled	Yes
Temporarily Out of Use			Continuous Interstitial Monitoring	Pressurized	Galvanic
Gasoline		11/18/2013	Automatic Tank Gauging 0.2	Continuous Interstitial Monitor	
8,000					
3	24	10/29/1991	Bare Steel	Fiberglass Reinforced Plastic	High Level Alarm
2723			None	Double-Walled	Yes
Temporarily Out of Use			Electronic Line Leak Detector	Pressurized	Galvanic
Gasoline		11/18/2013	Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2	
8,000					

Facility Summary in FERGUS County in the City of LEWISTOWN

Location: DEPOT EXPRESS
513 1ST AVE N
LEWISTOWN, MT 59457 FERGUS

Sys Fac ID: 14-12547
Last Inspected On: 11/18/2013

Operating Permit Renewal Date:

Contact: Kevin Rector, (406) 535-9459

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
4	21	10/1/1994	Cathodically Protected Steel	Fiberglass Reinforced Plastic	High Level Alarm
2724			None	Double-Walled	Yes
Temporarily Out of Use			Electronic Line Leak Detector	Not Listed	Galvanic
Diesel		11/18/2013	Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2	
12,000					
5	13	3/18/2002	Cathodically Protected Steel	Flexible Plastic	High Level Alarm
4617			None	Double-Walled	Yes
Temporarily Out of Use			Electronic Line Leak Detector	Pressurized	Galvanic
Diesel		11/18/2013	Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2	
6,000					
6	13	3/18/2002	Cathodically Protected Steel	Flexible Plastic	High Level Alarm
4618			None	Double-Walled	Yes
Temporarily Out of Use			Electronic Line Leak Detector	Pressurized	Galvanic
Diesel		11/18/2013	Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2	
3,000					
7	13	3/18/2002	Cathodically Protected Steel	Flexible Plastic	High Level Alarm
4619			None	Double-Walled	Yes
Temporarily Out of Use			Electronic Line Leak Detector	Pressurized	Galvanic
Diesel		11/18/2013	Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2	
3,000					
8	13	5/15/2002	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	High Level Alarm
4659			None	None	Yes
Temporarily Out of Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Gasoline		11/18/2013	Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2	
4,000		6/7/2010			

Facility Summary in FERGUS County in the City of LEWISTOWN

Location: DEPOT EXPRESS
513 1ST AVE N
LEWISTOWN, MT 59457 FERGUS

Contact: Kevin Rector, (406) 535-9459

Sys Fac ID: 14-12547
Last Inspected On: 11/18/2013
Operating Permit Renewal Date:

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
9	13	5/15/2002	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	High Level Alarm
4660			None	None	Yes
Temporarily Out of Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Gasoline		11/18/2013	Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2	
6,000		5/29/2010			
10	13	5/15/2002	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	High Level Alarm
4661			None	None	Yes
Temporarily Out of Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Gasoline		11/18/2013	Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2	
9,000		6/9/2010			
11	13	5/15/2002	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	High Level Alarm
4662			None	None	Yes
Temporarily Out of Use			Electronic Line Leak Detector	Pressurized	Not Applicable
Diesel		11/18/2013	Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.1, Automatic Tank Gauging 0.2	
3,000		6/1/2010			

Facility Summary in FERGUS County in the City of MOORE

Location: EDDIES CORNER INC
US HIGHWAY 87 & US HIGHWAY 191
MOORE, MT 59464 FERGUS

Sys Fac ID: 14-02832

Last Inspected On: 1/31/2014

Operating Permit Renewal Date: 5/8/2017

Contact: Joe Bauman, (406) 374-2471

Owners/Operators: Eddies Corner Inc, Owner

(406)-374-2471

65000 US HIGHWAY 87
MOORE MT 59464-9472

Joseph Bauman, UST Class A Operator

Joseph Bauman, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
3	23	4/17/1992	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	High Level Alarm
853			None	None	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Not Applicable
Gasoline		6/2/2014	Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	
6,000		8/8/2013	Gilbarco EMC Basic , Gilbarco		
4	23	4/17/1992	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	High Level Alarm
854			None	None	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Not Applicable
Gasoline		6/2/2014	Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	
4,000		8/8/2013	Gilbarco EMC Basic , Gilbarco		
5	23	4/17/1992	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	High Level Alarm
855			None	None	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Not Applicable
Gasoline		6/2/2014	Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	
4,000		8/8/2013	Gilbarco EMC Basic , Gilbarco		
6	25	7/11/1990	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	High Level Alarm
852			None	None	Yes
Currently in Use			Mechanical Line Leak Detector	Pressurized	Not Applicable
Diesel		6/2/2014	Automatic Tank Gauging 0.2	MLLD Line Tightness Testing	
8,000		8/8/2013	Gilbarco EMC Basic , Gilbarco		

Facility Summary in FERGUS County in the City of MOORE

Location: MALMSTROM AFB L 2
US HIGHWAY 87
MOORE, MT 59464 FERGUS

Sys Fac ID: 14-09097

Last Inspected On: 7/23/2013

Operating Permit Renewal Date: 8/7/2016

Contact: Jim Hodges,

Owners/Operators: 341 CES CEANQ, Owner (406)-731-6188 39 78TH ST N
MALMSTROM AFB MT 59402-7536

Lana Hedlund, UST Class A Operator

James Hodges, UST Class A Operator

Lana Hedlund, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
2	22	6/1/1993	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff), High Level Alarm
187		8/28/2014	Double-Walled	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	U.S. Suction	Not Applicable
Diesel			Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	Continuous Interstitial Monitor	
4,000			TLS-350/Gilbarco EMC , Veeder Root		

Facility Summary in FERGUS County in the City of MOORE

Location: MALMSTROM AFB L 11
US HIGHWAY 191
MOORE, MT 59464 FERGUS

Sys Fac ID: 14-09106

Last Inspected On: 7/30/2013

Operating Permit Renewal Date: 8/6/2016

Contact: Jim Hodges,

Owners/Operators: 341 CES CEANQ, Owner (406)-731-6188 39 78TH ST N
MALMSTROM AFB MT 59402-7536

Lana Hedlund, UST Class A Operator

James Hodges, UST Class A Operator

Lana Hedlund, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
1	22	6/1/1993	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff), High Level Alarm
189		8/21/2014	Double-Walled	Double-Walled	Yes
Currently in Use			Not Required	U.S. Suction	Not Applicable
Diesel			Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	Continuous Interstitial Monitor	
4,000			TLS-350/Gilbarco EMC , Veeder Root		

Facility Summary in FERGUS County in the City of MOORE

Location: MALMSTROM AFB M 1
US HIGHWAY 87
MOORE, MT 59464 FERGUS

Sys Fac ID: 14-09107

Last Inspected On: 7/10/2013

Operating Permit Renewal Date: 7/24/2016

Contact: Jim Hodges,

Owners/Operators: 341 CES CEANQ, Owner

(406)-731-6188

39 78TH ST N
MALMSTROM AFB MT 59402-7536

Lana Hedlund, UST Class A Operator
James Hodges, UST Class A Operator
Ricardo Andrillon, UST Class B Operator
Glen Beck, UST Class B Operator
Allen Brooks, UST Class B Operator
Jonathan Buesch, UST Class B Operator
John Corbett, UST Class B Operator
David Cosner, UST Class B Operator
Ryan Cox, UST Class B Operator
Brian Day, UST Class B Operator
David Degolier, UST Class B Operator
Hudson English, UST Class B Operator
Eric Haumschild, UST Class B Operator
Dustin Hemingway, UST Class B Operator
Aaron Hill, UST Class B Operator
William Hoffmeister, UST Class B Operator
Shane Hofstad, UST Class B Operator
Bethany Kent, UST Class B Operator
James Knudsen, UST Class B Operator
Ryan Kofoed, UST Class B Operator
Jeff Laird, UST Class B Operator
Damon McCarty, UST Class B Operator
Kieth Mcllwain, UST Class B Operator
Brian McVay, UST Class B Operator
Ronald Miller, UST Class B Operator
Michael Murieen, UST Class B Operator
Jeff Nelson, UST Class B Operator
Shawn O'Grady, UST Class B Operator
Chris Ploof, UST Class B Operator
Issac Price, UST Class B Operator
Brian Rayner, UST Class B Operator
Cameron Smith, UST Class B Operator

Facility Summary in FERGUS County in the City of MOORE

Location: MALMSTROM AFB M 1
US HIGHWAY 87
MOORE, MT 59464 FERGUS

Sys Fac ID: 14-09107
Last Inspected On: 7/10/2013
Operating Permit Renewal Date: 7/24/2016

Contact: Jim Hodges,
Jimmy Sonfelt, UST Class B Operator
Michael Stokes, UST Class B Operator
Kyle Topp, UST Class B Operator
Jason Vike, UST Class B Operator
Mark Wight, UST Class B Operator
James Wooderchak, UST Class B Operator
Paul Ziemba, UST Class B Operator
Lana Hedlund, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
4	53	5/2/1962	Cathodically Protected Steel	Flexible Plastic	Flapper Valve (Auto Shutoff), High Level Alarm
190		7/3/2013	Lined Interior/Impressed Current	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	U.S. Suction	Impressed Current
Diesel		7/31/2013	Automatic Tank Gauging 0.2	Continuous Interstitial Monitor	
12,000			TLS-350/Gilbarco EMC , Veeder Root	Vapor Monitoring	

Facility Summary in FERGUS County in the City of MOORE

Location: MALMSTROM AFB M 6
US HIGHWAY 87
MOORE, MT 59464 FERGUS

Sys Fac ID: 14-09112

Last Inspected On: 7/11/2013

Operating Permit Renewal Date: 7/24/2016

Contact: Jim Hodges,

Owners/Operators: 341 CES CEANQ, Owner (406)-731-6188 39 78TH ST N
MALMSTROM AFB MT 59402-7536

Lana Hedlund, UST Class A Operator

James Hodges, UST Class A Operator

Lana Hedlund, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
1	22	5/1/1993	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff)
195		9/12/2013	Double-Walled	Double-Walled	Yes
Currently in Use			Auto Dialer	U.S. Suction	Not Applicable
Diesel			Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	Continuous Interstitial Monitor	
4,000					

Facility Summary in FERGUS County in the City of MOORE

Location: MALMSTROM AFB M 7
US HIGHWAY 87
MOORE, MT 59464 FERGUS

Sys Fac ID: 14-09113

Last Inspected On: 7/12/2013

Operating Permit Renewal Date: 7/24/2016

Contact: Jim Hodges,

Owners/Operators: 341 CES CEANQ, Owner (406)-731-6188 39 78TH ST N
MALMSTROM AFB MT 59402-7536

Lana Hedlund, UST Class A Operator

James Hodges, UST Class A Operator

Lana Hedlund, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
2	22	5/1/1993	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff), High Level Alarm
196		9/19/2013	Double-Walled	Double-Walled	Yes
Currently in Use			Auto Dialer	U.S. Suction	Not Applicable
Diesel			Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	Continuous Interstitial Monitor	
4,000					

Facility Summary in FERGUS County in the City of MOORE

Location: MALMSTROM AFB M 11
US HIGHWAY 87
MOORE, MT 59464 FERGUS

Sys Fac ID: 14-09117

Last Inspected On: 7/24/2013

Operating Permit Renewal Date: 7/31/2016

Contact: Jim Hodges,

Owners/Operators: 341 CES CEANQ, Owner (406)-731-6188 39 78TH ST N
MALMSTROM AFB MT 59402-7536

Lana Hedlund, UST Class A Operator

James Hodges, UST Class A Operator

Lana Hedlund, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
2	22	5/1/1993	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff)
197		8/24/2013	Double-Walled	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	U.S. Suction	Not Applicable
Diesel			Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	Continuous Interstitial Monitor	
4,000			TLS-350/Gilbarco EMC , Veeder Root		

Facility Summary in FERGUS County in the City of MOORE

Location: MOORE FARMERS OIL CO 5613901
113 FERGUS AVE
MOORE, MT 59464 FERGUS

Sys Fac ID: 56-13901

Last Inspected On: 12/19/2013

Operating Permit Renewal Date: 1/8/2017

Contact: Gary Marxer, (406) 374-2555

Owners/Operators: Moore Farmers Oil Co, Owner (406)-374-2555 PO BOX 120
MOORE MT 59464-0120
Shawn Auck, UST Class A Operator
Richard Brottem, UST Class B Operator
Ron Greene, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
1	17	10/1/1998	Steel Clad	Flexible Plastic	Flapper Valve (Auto Shutoff)
1693			Double-Walled	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Galvanic
Gasoline		11/5/2010	Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2	
12,000		10/10/2011	TLS-350/Gilbarco EMC , Veeder Root		
2	17	10/1/1998	Steel Clad	Flexible Plastic	Flapper Valve (Auto Shutoff)
1694			Double-Walled	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Galvanic
Gasoline		11/5/2010	Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2	
8,000		10/10/2011	TLS-350/Gilbarco EMC , Veeder Root		
3	17	10/1/1998	Steel Clad	Flexible Plastic	Flapper Valve (Auto Shutoff)
1695			Double-Walled	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Galvanic
Diesel		11/5/2010	Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2	
12,000		10/10/2011	TLS-350/Gilbarco EMC , Veeder Root		
4	17	10/1/1998	Steel Clad	Flexible Plastic	Flapper Valve (Auto Shutoff)
1696			Double-Walled	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Galvanic
Diesel		11/5/2010	Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2	
8,000		10/10/2011	TLS-350/Gilbarco EMC , Veeder Root		

Facility Summary in FERGUS County in the City of ROY

Location: MALMSTROM AFB 0 1
US HIGHWAY 191
ROY, MT 59471 FERGUS

Sys Fac ID: 14-09129
Last Inspected On: 7/25/2013
Operating Permit Renewal Date: 7/31/2016

Contact:

Owners/Operators: 341 CES CEANQ, Owner (406)-731-6188 39 78TH ST N
MALMSTROM AFB MT 59402-7536

Lana Hedlund, UST Class A Operator
James Hodges, UST Class A Operator
Ricardo Andrillon, UST Class B Operator
Glen Beck, UST Class B Operator
Allen Brooks, UST Class B Operator
John Corbett, UST Class B Operator
David Degolier, UST Class B Operator
Eric Haumschild, UST Class B Operator
Shane Hofstad, UST Class B Operator
Bethany Kent, UST Class B Operator
Ryan Kofoed, UST Class B Operator
Kieth Mcllwain, UST Class B Operator
Ronald Miller, UST Class B Operator
Michael Murieen, UST Class B Operator
Jeff Nelson, UST Class B Operator
Chris Ploof, UST Class B Operator
Issac Price, UST Class B Operator
Brian Rayner, UST Class B Operator
Jimmy Sonefelt, UST Class B Operator
Michael Stokes, UST Class B Operator
Jason Vike, UST Class B Operator
Mark Wight, UST Class B Operator
James Wooderchak, UST Class B Operator
Paul Ziemba, UST Class B Operator
Lana Hedlund, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act

Facility Summary in FERGUS County in the City of ROY

Location: MALMSTROM AFB 0 1
US HIGHWAY 191
ROY, MT 59471 FERGUS

Sys Fac ID: 14-09129
Last Inspected On: 7/25/2013
Operating Permit Renewal Date: 7/31/2016

Contact:

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
1	53	6/2/1962	Cathodically Protected Steel	Flexible Plastic	Flapper Valve (Auto Shutoff)
209		7/9/2013	Lined Interior/Impressed Current	Double-Walled	Yes
Currently in Use			Auto Dialer	U.S. Suction	Impressed Current
Diesel		4/7/2012	Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	Continuous Interstitial Monitor	
12,000			TLS-350/Gilbarco EMC , Veeder Root	Vapor Monitoring	

Facility Summary in FERGUS County in the City of ROY

Location: MALMSTROM AFB O 2
US HIGHWAY 191
ROY, MT 59471 FERGUS

Sys Fac ID: 14-09130

Last Inspected On: 7/24/2013

Operating Permit Renewal Date: 7/31/2016

Contact: Jim Hodges,

Owners/Operators: 341 CES CEANQ, Owner (406)-731-6188 39 78TH ST N
MALMSTROM AFB MT 59402-7536

Lana Hedlund, UST Class A Operator
James Hodges, UST Class A Operator
Dustin Hemingway, UST Class B Operator
Lana Hedlund, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
2	22	7/1/1993	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff), High Level Alarm
210		7/10/2013	Double-Walled	Double-Walled	Yes
Currently in Use			Auto Dialer	U.S. Suction	Not Applicable
Diesel			Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	Continuous Interstitial Monitor	
4,000					

Facility Summary in FERGUS County in the City of ROY

Location: MALMSTROM AFB 0 3
US HIGHWAY 191
ROY, MT 59471 FERGUS

Sys Fac ID: 14-09131

Last Inspected On: 7/23/2013

Operating Permit Renewal Date: 7/31/2016

Contact: Jim Hodges,

Owners/Operators: 341 CES CEANQ, Owner (406)-731-6188 39 78TH ST N
MALMSTROM AFB MT 59402-7536

Lana Hedlund, UST Class A Operator

James Hodges, UST Class A Operator

Lana Hedlund, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
2	22	7/1/1993	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff), High Level Alarm
211		7/9/2013	Double-Walled	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	U.S. Suction	Not Applicable
Diesel			Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	Continuous Interstitial Monitor	
4,000					

Facility Summary in FERGUS County in the City of ROY

Location: MALMSTROM AFB O 4
MT HIGHWAY 19
ROY, MT 59471 FERGUS

Sys Fac ID: 14-09132

Last Inspected On: 7/23/2013

Operating Permit Renewal Date: 7/31/2016

Contact: Jim Hodges,

Owners/Operators: 341 CES CEANQ, Owner (406)-731-6188 39 78TH ST N
MALMSTROM AFB MT 59402-7536

Lana Hedlund, UST Class A Operator

James Hodges, UST Class A Operator

Lana Hedlund, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
2	22	7/1/1993	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff), High Level Alarm
212		7/9/2013	Double-Walled	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	U.S. Suction	Not Applicable
Diesel			Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	Continuous Interstitial Monitor	
4,000					

Facility Summary in FERGUS County in the City of ROY

Location: MALMSTROM AFB 0 5
MT HIGHWAY 19
ROY, MT 59471 FERGUS

Sys Fac ID: 14-09133

Last Inspected On: 7/23/2013

Operating Permit Renewal Date: 7/31/2016

Contact: Jim Hodges,

Owners/Operators: 341 CES CEANQ, Owner (406)-731-6188 39 78TH ST N
MALMSTROM AFB MT 59402-7536

Lana Hedlund, UST Class A Operator

James Hodges, UST Class A Operator

Lana Hedlund, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
2	22	7/1/1993	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff), High Level Alarm
213		7/8/2013	Double-Walled	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	U.S. Suction	Not Applicable
Diesel			Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	Continuous Interstitial Monitor	
4,000					

Facility Summary in FERGUS County in the City of ROY

Location: MALMSTROM AFB O 6
MT HIGHWAY 19
ROY, MT 59471 FERGUS

Sys Fac ID: 14-09134

Last Inspected On: 7/22/2013

Operating Permit Renewal Date: 7/31/2016

Contact: Jim Hodges,

Owners/Operators: 341 CES CEANQ, Owner (406)-731-6188 39 78TH ST N
MALMSTROM AFB MT 59402-7536

Lana Hedlund, UST Class A Operator

James Hodges, UST Class A Operator

Lana Hedlund, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
2	22	7/15/1993	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff), High Level Alarm
214		6/19/2013	Double-Walled	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	U.S. Suction	Not Applicable
Diesel			Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	Continuous Interstitial Monitor	
4,000					

Facility Summary in FERGUS County in the City of ROY

Location: MALMSTROM AFB 0 7
US HIGHWAY 191
ROY, MT 59471 FERGUS

Sys Fac ID: 14-09135

Last Inspected On: 7/24/2013

Operating Permit Renewal Date: 7/31/2016

Contact: Jim Hodges,

Owners/Operators: 341 CES CEANQ, Owner (406)-731-6188 39 78TH ST N
MALMSTROM AFB MT 59402-7536

Lana Hedlund, UST Class A Operator

James Hodges, UST Class A Operator

Lana Hedlund, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
2	22	7/1/1993	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff), High Level Alarm
215		7/10/2013	Double-Walled	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	U.S. Suction	Not Applicable
Diesel			Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	Continuous Interstitial Monitor	
4,000					

Facility Summary in FERGUS County in the City of ROY

Location: MALMSTROM AFB O 10
US HIGHWAY 191
ROY, MT 59471 FERGUS

Sys Fac ID: 14-09138

Last Inspected On: 8/7/2013

Operating Permit Renewal Date: 8/14/2016

Contact: Jim Hodges,

Owners/Operators: 341 CES CEANQ, Owner (406)-731-6188 39 78TH ST N
MALMSTROM AFB MT 59402-7536

Lana Hedlund, UST Class A Operator
James Hodges, UST Class A Operator
Aaron Hill, UST Class B Operator
Lana Hedlund, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
2	22	7/1/1993	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff), High Level Alarm
218		8/2/2013	Double-Walled	Double-Walled	Yes
Currently in Use			Auto Dialer	U.S. Suction	Not Applicable
Diesel			Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	Continuous Interstitial Monitor	
4,000					

Facility Summary in FERGUS County in the City of ROY

Location: MALMSTROM AFB O 11
US HIGHWAY 191
ROY, MT 59471 FERGUS

Sys Fac ID: 14-09139

Last Inspected On: 8/7/2013

Operating Permit Renewal Date: 8/14/2016

Contact: Jim Hodges,

Owners/Operators: 341 CES CEANQ, Owner (406)-731-6188 39 78TH ST N
MALMSTROM AFB MT 59402-7536

Lana Hedlund, UST Class A Operator
James Hodges, UST Class A Operator
William Hoffmeister, UST Class B Operator
Brian McVay, UST Class B Operator
Lana Hedlund, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
2	22	8/1/1993	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff), High Level Alarm
219		8/2/2013	Double-Walled	Double-Walled	Yes
Currently in Use			Auto Dialer	U.S. Suction	Not Applicable
Diesel			Continuous Interstitial Monitor	Continuous Interstitial Monitor	
4,000					

Facility Summary in FERGUS County in the City of WINIFRED

Location: CENTRAL MONTANA COOP WINIFRED
108 MAIN ST
WINIFRED, MT 59489 FERGUS

Sys Fac ID: 14-01292

Last Inspected On: 2/17/2014

Operating Permit Renewal Date: 5/16/2017

Contact: Paul Seilstad, (406) 462-5428

Owners/Operators: Central Montana Coop Winifred, Owner (406)-538-7879 A DIVISION OF CHS COOPERATIVES
PO BOX 3509
LEWISTOWN MT 59457-3509

Ed Heggem, UST Class A Operator
Brendon Jerke, UST Class A Operator
John Blazicevich, UST Class B Operator
Ed Heggem, UST Class B Operator
Brendon Jerke, UST Class B Operator
Brendon Jerke, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
1	19	9/1/1996	Cathodically Protected Steel	Flexible Plastic	High Level Alarm
2289			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Impressed Current
Diesel		4/29/2015	Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2, Continuous Interstitial Monitor, ELLD Line Tightness Testing	
4,000		5/1/2013	EECO 2000 , EMCO Electronics		
2	19	9/1/1996	Cathodically Protected Steel	Flexible Plastic	High Level Alarm
2290			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Impressed Current
Diesel		4/29/2015	Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2, Continuous Interstitial Monitor, ELLD Line Tightness Testing	
4,000		5/1/2013	EECO 2000 , EMCO Electronics		
3	19	9/1/1996	Cathodically Protected Steel	Flexible Plastic	High Level Alarm
2291			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Impressed Current
Diesel		4/29/2015	Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2, Continuous Interstitial Monitor, ELLD Line Tightness Testing	
12,000		5/1/2013	EECO 2000 , EMCO Electronics		

Facility Summary in FERGUS County in the City of WINIFRED

Location: CENTRAL MONTANA COOP WINIFRED
108 MAIN ST
WINIFRED, MT 59489 FERGUS
Contact: Paul Seilstad, (406) 462-5428

Sys Fac ID: 14-01292
Last Inspected On: 2/17/2014
Operating Permit Renewal Date: 5/16/2017

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
4	19	9/1/1996	Cathodically Protected Steel	Flexible Plastic	High Level Alarm
2292			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Impressed Current
Diesel		4/29/2015	Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2, Continuous Interstitial Monitor, ELLD Line Tightness Testing	
4,000		5/1/2013	EECO 2000 , EMCO Electronics		
5	19	9/1/1996	Cathodically Protected Steel	Flexible Plastic	High Level Alarm
2293			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Impressed Current
Gasoline		4/29/2015	Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2, Continuous Interstitial Monitor, ELLD Line Tightness Testing	
8,000		5/1/2013	EECO 2000 , EMCO Electronics		
6	19	9/1/1996	Cathodically Protected Steel	Flexible Plastic	High Level Alarm
2294			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Impressed Current
Gasoline		4/29/2015	Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2, Continuous Interstitial Monitor, ELLD Line Tightness Testing	
12,000		5/1/2013	EECO 2000 , EMCO Electronics		
8	19	9/1/1996	Cathodically Protected Steel	Flexible Plastic	High Level Alarm
2288			None	Double-Walled	Yes
Currently in Use			Electronic Line Leak Detector	Pressurized	Impressed Current
Gasoline		4/29/2015	Automatic Tank Gauging 0.2	Automatic Tank Gauging 0.2, Continuous Interstitial Monitor, ELLD Line Tightness Testing	
4,000		5/1/2013	EECO 2000 , EMCO Electronics		

Facility Summary in FERGUS County in the City of WINIFRED

Location: MALMSTROM AFB E 1
COUNTY ROAD 236
WINIFRED, MT 59489 FERGUS

Sys Fac ID: 14-09019
Last Inspected On: 11/6/2014
Operating Permit Renewal Date: 9/15/2017

Contact: Jim Hodges,

Owners/Operators: 341 CES CEANQ, Owner (406)-731-6188 39 78TH ST N
MALMSTROM AFB MT 59402-7536

Lana Hedlund, UST Class A Operator
James Hodges, UST Class A Operator
Chris Amann, UST Class B Operator
Ricardo Andrillon, UST Class B Operator
Glen Beck, UST Class B Operator
Allen Brooks, UST Class B Operator
Jonathan Buesch, UST Class B Operator
John Corbett, UST Class B Operator
David Cosner, UST Class B Operator
Ryan Cox, UST Class B Operator
Brian Day, UST Class B Operator
David Degolier, UST Class B Operator
Hudson English, UST Class B Operator
Dustin Hemingway, UST Class B Operator
Aaron Hill, UST Class B Operator
William Hoffmeister, UST Class B Operator
Shane Hofstad, UST Class B Operator
Bethany Kent, UST Class B Operator
James Knudsen, UST Class B Operator
Ryan Kofoed, UST Class B Operator
Jeff Laird, UST Class B Operator
Damon McCarty, UST Class B Operator
Kieth Mcllwain, UST Class B Operator
Brian McVay, UST Class B Operator
Ronald Miller, UST Class B Operator
Michael Murieen, UST Class B Operator
Jeff Nelson, UST Class B Operator
Shawn O'Grady, UST Class B Operator
Chris Ploof, UST Class B Operator
Issac Price, UST Class B Operator
Brian Rayner, UST Class B Operator
Adam Reathaford, UST Class B Operator

Facility Summary in FERGUS County in the City of WINIFRED

Location: MALMSTROM AFB E 1
COUNTY ROAD 236
WINIFRED, MT 59489 FERGUS

Sys Fac ID: 14-09019
Last Inspected On: 11/6/2014
Operating Permit Renewal Date: 9/15/2017

Contact: Jim Hodges,
Cameron Smith, UST Class B Operator
Jimmy Sonefelt, UST Class B Operator
Michael Stokes, UST Class B Operator
Kyle Topp, UST Class B Operator
Jason Vike, UST Class B Operator
James Wooderchak, UST Class B Operator
Paul Ziemba, UST Class B Operator
Lana Hedlund, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
1	53	5/2/1962	Cathodically Protected Steel	Flexible Plastic	Flapper Valve (Auto Shutoff)
175		9/26/2014	Lined Interior/Impressed Current	Double-Walled	Yes
Currently in Use			Not Required	U.S. Suction	Impressed Current
Diesel		7/21/2014	Automatic Tank Gauging 0.2	Continuous Interstitial Monitor	
12,000					

Facility Summary in FERGUS County in the City of WINIFRED

Location: MALMSTROM AFB E 2
ROAD 236
WINIFRED, MT 59489 FERGUS

Sys Fac ID: 14-09020
Last Inspected On: 11/5/2014
Operating Permit Renewal Date: 9/15/2017

Contact: Jim Hodges,

Owners/Operators: 341 CES CEANQ, Owner (406)-731-6188 39 78TH ST N
MALMSTROM AFB MT 59402-7536

Lana Hedlund, UST Class A Operator
James Hodges, UST Class A Operator
Lana Hedlund, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
1	23	7/1/1992	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff), High Level Alarm
176		9/25/2014	Double-Walled	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	U.S. Suction	Not Applicable
Diesel			Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	Continuous Interstitial Monitor	
4,000					

Facility Summary in FERGUS County in the City of WINIFRED

Location: MALMSTROM AFB E 3
ROAD 236
WINIFRED, MT 59489 FERGUS

Sys Fac ID: 14-09021
Last Inspected On: 11/5/2014
Operating Permit Renewal Date: 9/15/2017

Contact: Jim Hodges,

Owners/Operators: 341 CES CEANQ, Owner (406)-731-6188 39 78TH ST N
MALMSTROM AFB MT 59402-7536
Lana Hedlund, UST Class A Operator
James Hodges, UST Class A Operator
Lana Hedlund, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
1	23	7/1/1992	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff), High Level Alarm
177		9/25/2014	Double-Walled	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	U.S. Suction	Not Applicable
Diesel			Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	Continuous Interstitial Monitor	
4,000			TLS-350/Gilbarco EMC , Veeder Root		

Facility Summary in FERGUS County in the City of WINIFRED

Location: MALMSTROM AFB E 4
ROAD 236
WINIFRED, MT 59489 FERGUS

Sys Fac ID: 14-09022
Last Inspected On: 11/5/2014
Operating Permit Renewal Date: 9/15/2017

Contact: Jim Hodges,

Owners/Operators: 341 CES CEANQ, Owner (406)-731-6188 39 78TH ST N
MALMSTROM AFB MT 59402-7536
Lana Hedlund, UST Class A Operator
James Hodges, UST Class A Operator
Lana Hedlund, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
2	23	7/1/1992	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff), High Level Alarm
4273		9/25/2014	Double-Walled	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	U.S. Suction	Not Applicable
Diesel			Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	Continuous Interstitial Monitor	
4,000			TLS-350/Gilbarco EMC , Veeder Root		

Facility Summary in FERGUS County in the City of WINIFRED

Location: MALMSTROM AFB E 5
ROAD 236
WINIFRED, MT 59489 FERGUS

Sys Fac ID: 14-09023
Last Inspected On: 11/6/2014
Operating Permit Renewal Date: 9/15/2017

Contact: Jim Hodges,

Owners/Operators: 341 CES CEANQ, Owner (406)-731-6188 39 78TH ST N
MALMSTROM AFB MT 59402-7536
Lana Hedlund, UST Class A Operator
James Hodges, UST Class A Operator
Lana Hedlund, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
2	23	8/1/1992	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff), High Level Alarm
4269		10/9/2014	Double-Walled	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	U.S. Suction	Not Applicable
Diesel			Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	Continuous Interstitial Monitor	
4,000			TLS-350/Gilbarco EMC , Veeder Root		

Facility Summary in FERGUS County in the City of WINIFRED

Location: MALMSTROM AFB E 10
ROAD 236
WINIFRED, MT 59489 FERGUS

Sys Fac ID: 14-09028
Last Inspected On: 11/5/2014
Operating Permit Renewal Date: 9/15/2017

Contact: Jim Hodges,

Owners/Operators: 341 CES CEANQ, Owner (406)-731-6188 39 78TH ST N
MALMSTROM AFB MT 59402-7536
Lana Hedlund, UST Class A Operator
James Hodges, UST Class A Operator
Lana Hedlund, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
2	23	7/1/1992	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff), High Level Alarm
184		10/16/2014	Double-Walled	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	U.S. Suction	Not Applicable
Diesel			Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	Continuous Interstitial Monitor	
4,000			TLS-350/Gilbarco EMC , Veeder Root		

Facility Summary in FERGUS County in the City of WINIFRED

Location: MALMSTROM AFB E 11
ROAD 236
WINIFRED, MT 59489 FERGUS

Sys Fac ID: 14-09029
Last Inspected On: 11/5/2014
Operating Permit Renewal Date: 9/15/2017

Contact: Jim Hodges,

Owners/Operators: 341 CES CEANQ, Owner (406)-731-6188 39 78TH ST N
MALMSTROM AFB MT 59402-7536
Lana Hedlund, UST Class A Operator
James Hodges, UST Class A Operator
Lana Hedlund, UST Class B Global Operator

Tank Id	Age	Installed	Tank Material of Construction	Piping Material	Overfill Types
Tag Number	AST	Sump Tightness	Secondary Option	Secondary Option	Spill Protected
Status		Inventory Control	Catastrophic L.D. Type 3.0	Piping Type	CP Met Types
Product		Tank/Pipe CP	Tank Detection	Primary Pipe Detection	Vapor Recovery
Capacity		Line Tightness	ATG Type	Secondary Pipe Detection	Energy Act
1	23	7/1/1992	Fiberglass Reinforced Plastic	Fiberglass Reinforced Plastic	Flapper Valve (Auto Shutoff), High Level Alarm
185		11/5/2014	Double-Walled	Double-Walled	Yes
Currently in Use			Continuous Interstitial Monitoring	U.S. Suction	Not Applicable
Diesel			Automatic Tank Gauging 0.2, Continuous Interstitial Monitor	Continuous Interstitial Monitor	
4,000			TLS-350/Gilbarco EMC , Veeder Root		